



Declaration of performance and Product information
 „Requirements for flue system”



Manufacturer: Alukan BV
 Handelsweg 1
 8061 RL Hasselt
 Nederland


Product name: Chimney system CLV

Name and function of the responsible person : W. Reitsema, director

Certification authority: Gastec

Certificate number/year: 0476-CPD-1217/2013

Product name according to EN 1856-1



Essential requirements	Performances	Harmonized technical standard
Roughness coefficient	0.03 mm (declared)	1856-1:2
Flow resistance coefficient	NPD	1856-1:2
Thermal resistance	0.0 m ² K/W	1856-1:2
Thermal shock resistance	Pass	1856-1:2
Flexural tensile strength	N.A.	1856-1:2
Freeze thaw	NPD	1856-1:2



Declaration of performance and Product information
 „Requirements for flue system”



Manufacturer: Alukan BV
 Handelsweg 1
 8061 RL Hasselt
 Nederland


Product name: Chimney system CRB

Name and function of the responsible person : W. Reitsema, director

Certification authority: Gastec

Certificate number/year: 0476-CPD-1217/2013

Product name according to EN 1856-1



Essential requirements	Performances	Harmonized technical standard
Roughness coefficient	0.02 mm (declared)	1856-1:2
Flow resistance coefficient	NPD	1856-1:2
Thermal resistance	0.18 m ² K/W	1856-1:2
Thermal shock resistance	Pass	1856-1:2
Flexural tensile strength	N.A.	1856-1:2
Freeze thaw	NPD	1856-1:2



Declaration of performance and Product information
 „Requirements for flue system”



Manufacturer: Alukan BV
 Handelsweg 1
 8061 RL Hasselt
 Nederland


Product name: Chimney system CRI

Name and function of the responsible person : W. Reitsema, director

Certification authority: Gastec

Certificate number/year: 0476-CPD-1217/2013

Product name according to EN 1856-1



Essential requirements	Performances	Harmonized technical standard
Roughness coefficient	0.02 mm (declared)	1856-1:2
Flow resistance coefficient	NPD	1856-1:2
Thermal resistance	0.0 m ² K/W	1856-1:2
Thermal shock resistance	Pass	1856-1:2
Flexural tensile strength	N.A.	1856-1:2
Freeze thaw	NPD	1856-1:2